





RF710X1

Upright Freezer GN2/1

Product Features

- Stainless steel cabinet
- Controller with Bluetooth and NFC connectivity
- HACCP compliant data export
- Ventilated cooling
- · Self-closing doors
- Adjustable shelves GN2/1
- · Maintenance free condenser
- Strong wheels
- Lock

1-door stainless steel freezer for profesionnal kitchens

The RF710X1 is an energy-efficient freezer for professional settings. It has a 51% lower energy consumption compared to the previous RF710 model.

This upright freezer is made from durable SS304 stainless steel to ensure that it can withstand the conditions of a busy kitchen. It comes with adjustable GN2/1 shelves and the door has a 105 degree stop for easy access and loading. The door can be opened by stepping on a pedal at the bottom of the cabinet. The cabinet is equipped with strong wheels, which come in handy in terms of cleaning.

It has an efficient ventilated cooling system to ensure that content stays at its optimal storage temperature, and the temperature is easy to set on the digital controller. The controller has NFC connectivity and Bluetooth. This means you can keep an eye on the temperature and humidity of the cabinet via an app, and you can export data for easy reporting.

Measures and Content		
Temperature Range	°C	-22 to -18
Climate Class		5
Gross / Net Weight	kg	147 / 138
Gross / Net Volume	I	559 / 408
Design and Material		
Door No & Type		1 hinged self-closing solid door
Door Reversible		Yes
Shelves No & Type		3 wire shelves white
Shelf Color		White
Shelf Dimensions		530x650
Max load on Shelves	kg/m²	25
Castors		4 castors
Exterior Finish		SS304
Interior Finish		SS304
Interior Light		LED
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic, electric
Refrigerant		R290
Refrigerant Charge	g	130
Thermometer		Yes
Power and Consumption		
Energy Class		В
Energy Consumption	kWh/24h	2.9
Annual Energy Cons.	kWh/year	1062
Input Power	W	380
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	48
Dimensions		
Internal Dimension (WxDxH)	mm	533 x 700 x 1501
External Dimension (WxDxH)	mm	740 x 875 x 2090
Packed Dimension (WxDxH)	mm	760 x 905 x 2150
40ft Container Load	pcs	39





Pedal for opening the door

Digital thermostat



Measures and Content			
Gross / Net Weight	kg		/
Gross / Net Volume	I		
Design and Material			
Door No & Type			
Shelves No & Type			
Cooling and Functions			
		5430	1
Power and Consumption			
		5430	1
Dimensions			
Internal Dimension (WxDxH)	mm		
External Dimension (WxDxH)	mm	x :	Κ
Packed Dimension (WxDxH)	mm	x :	Κ

D	ra	d٠	ıct		atu	res
r	ΓU	αu	ICL	re	alu	res

